



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,928	05/01/2006	Klaus Holzapfel	282602US8X PCT	6910
22850	7590	05/11/2011	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET ALEXANDRIA, VA 22314			AVERY, JEREMIAH L	
			ART UNIT	PAPER NUMBER
			2431	
			NOTIFICATION DATE	DELIVERY MODE
			05/11/2011	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com  
oblonpat@oblon.com  
jgardner@oblon.com

<b>Office Action Summary</b>	<b>Application No.</b>		<b>Applicant(s)</b>	
	10/577,928		HOLZAPFEL ET AL.	
	<b>Examiner</b>		<b>Art Unit</b>	
	JEREMIAH AVERY		2431	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 24 February 2011.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 21,22,25-31,34-41 and 46-60 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 21,22,25-31,34-41 and 46-60 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 May 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

**0DETAILED ACTION**

- I. Claims 21, 22, 25-31, 34-41 and 46-60 have been examined.
- II. Responses to Applicant's remarks have been given.

***Response to Arguments***

- 1. The objection to claim 51 is hereby withdrawn due to the amendment to said claim.
- 2. The Applicant's amendments to claims 21, 22, 25-31, 34-41 and 46-60 give cause for the previous 35 U.S.C. 101 rejection of said claims to be hereby withdrawn.
- 3. Applicant's arguments filed 02/24/11 with regards to the claim language of "a stream of content cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data" have been fully considered but they are rendered moot in view of the new grounds of rejection cited below.
- 4. The Applicant states that "Independent Claims 30, 49 and 51 recite limitations analogous to the limitations recited in Claim 21, and have been amended in a manner analogous to the amendment to Claim 21"; thus the Examiner's argument stated above and cited prior art below for Claim 21 also pertain to independent claims 30, 49 and 51.
- 5. Further, the amendments to independent claim 39 are analogous to those within claim 21, thus the argument(s) presented by the Applicant for claim 39 are also rendered moot in view of the new grounds of rejection set forth below.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 21, 22, 25-31, 34-41 and 46-60 are rejected under 35 U.S.C. 103(a) as being unpatentable over United States Patent No. 7,486,790 to Selinfreund et al., hereinafter Selinfreund, and further in view of United States Patent No. 5,870,523 to Kikuchi et al., hereinafter Kikuchi.

6. Regarding claims 21 and 30, Selinfreund discloses the content cells being linked in accordance with the navigation data, wherein the content cells and *at least one of* said navigation data are arranged such that accessing the data on the storage medium in a copy mode, in which the data are to be copied from the storage medium onto a recordable record carrier and the content cells are not accessed according to said navigation data, provides disturbed data access of reduced quality (column 3, lines 7-21, 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been

Art Unit: 2431

activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material”, column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16),

[The claimed “navigation data” is interpreted by the Examiner to pertain to the “tracks” and “sectors” within Selinfreund. Further, the Examiner is interpreting the claimed “disturbed data access” and “undisturbed access” to pertain to the type of access restrictions set forth within Selinfreund (e.g. being able to “read a specific track” and then have access to an “adjacent track” would pertain to the “undisturbed access” and the interference disclosed within Selinfreund would pertain to “disturbed data access” since “the first track” may be read but the “adjacent, or nearby, tracks” will not be read due to the particular “light sensitive material” being utilized to hinder such reading.)]

whereas accessing the data on the storage medium in a reproduction mode, in which the content cells are accessed according to said navigation data provides undisturbed access (column 3, lines 51-54, “instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track”, column 10, lines 45-52 and column 13, lines 11-18, “read data unaffected by the material 21 from track a”),

the cells further comprising at least one reproduction obstructing cell physically stored before or after a linked content cell, said at least one reproduction obstructing cell forming part of said cells and being arranged such that access in said reproduction mode includes navigating around at least one reproduction obstructing cell when linked

Art Unit: 2431

content cells are accessed, whereas access in said copy mode includes accessing linked content cells in addition to said at least one reproduction obstructing cell (column 5, lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

7. Selinfreund discloses the claimed invention, as cited above. However, Selinfreund does not disclose the claim limitations pertaining to “data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data”. Kikuchi discloses said limitations, as cited below.

8. Regarding claims 21 and 30, Kikuchi discloses a method and a non-transitory storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data (column 1, lines 47-57, “to provide a recording medium on which a data stream contain navigation data capable of special playback, such as fast-forward or rewind playback, is recorded” and column 11, lines 33-59, “A video object (VOB) 83 further comprises one or more such cells 84...A cell 84 is likewise assigned an identification number (C\_IDN#j). By the identification number (C\_IDN#j), the cell 84 is identified.”).

9. The motivation to combine would be “to provide a method and apparatus for recording data, including navigation data for special playback” (*Kikuchi* – column 1, lines 58-61).

10. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Kikuchi with the teachings

Art Unit: 2431

of Selinfreund so that “each data unit being composed of a plurality of data pack trains obtained by compressing playback data containing at least any one of audio data, video data, and sub-picture data into packets and a navigation pack placed at the head of the data pack trains and storing playback information on the data packs and navigation information indicating the relationship with other data units” (*Kikuchi* – column 2, lines 15-25).

11. Regarding claims 22 and 31, Selinfreund discloses wherein the copy mode is a generally linear access mode (column 10, lines 15-20, “read the sectors 20a-20f in that order”).

12. Regarding claims 25 and 34, Selinfreund discloses wherein an access of said at least one reproduction obstructing cell prohibits *or* disturbs a further reproduction *or* reduces an entertainment value of reproduced content that is originally stored within the content cells on the storage medium (column 3, lines 10-14, “A data file, for example a movie or audio file, may then be downloaded from a network to the computer in a form that is unplayable in the absence of the code provided by the light sensitive material on the medium”, column 13, lines 53-63 and column 14, lines 10-16, “If the disk is copied, for example, by bit-to-bit copying, the light sensitive materials 21 may not be copied, and thus the copied version of the data is uninstallable, unreadable or otherwise unusable”).

13. Regarding claims 26 and 35, Selinfreund discloses wherein said at least one reproduction obstructing cell includes data having an effect that data stored on the storage medium does not conform with the DVD physical specification by *at least one of*

Art Unit: 2431

the group comprising: infringing rules of EFM+ coding; setting incorrect ECC data for *at least one of* PI and PO; setting *at least one of* incorrect EDC, ID, CPR\_MAI and IED data; addition of illegal UDF file system data; setting of illegal UDF file system data (column 3, lines 60-63, "Areas of light sensitive material may be large enough to defeat sophisticated error correction programs, such as EFM" and column 13, lines 36-45).

14. Regarding claims 27 and 36, Selinfreund discloses wherein said at least one reproduction obstructing cell includes data of *at least one of* the group comprising: data that does not conform to a streaming media standard appropriate to the storage medium; data that generates permutations of reproduced content stored within the content cells; data that adds content unrelated to the content stored within neighboring content cells; data that adds advertising content stored within neighboring content cells (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material" and column 10, lines 5-14).

15. Regarding claims 28 and 38, Selinfreund discloses wherein said *at least one* reproduction obstructing cell is a stream of linked reproduction obstructing cells that is interleaved with at least one stream of content cells, wherein each of the stream linked cells provides one playback path, and the playback path corresponding to the linked reproduction obstructing cell is not followed by a reproduction device accessing the storage medium in accordance with said reproduction mode (column 2, lines 19-23, "while the material is in one state a data bit '1' may be read, but while the material is in another state a data bit of '0' may be read", column 5, lines 26-31, column 10, lines 33-44 and column 13, lines 4-20).



Art Unit: 2431

16. Regarding claims 29 and 37, Selinfreund discloses wherein said navigation data includes branch commands that are arranged in *at least one of* pre-commands and/or post-commands of program chains that include at least one program or in cell commands within programs, which are defined as a sequence of content cells (column 10, lines 15-20, “read the sectors 20a-20f in that order”, column 12, lines 24-45 and column 13, lines 4-27).

17. Regarding claim 39, Selinfreund teaches a method for producing at least one copy of at least a portion of data stored on a first non-transitory storage medium, the method comprising:

linking the content cells in accordance with the navigation data, wherein to produce the at least one copy, and wherein said accessed data is transferred as a copy to a second non-transitory storage medium (column 2, lines 64-67, column 3, lines 1 and 2 and column 10, lines 45-65).

18. Selinfreund teaches the claimed invention, as cited above. However, Selinfreund does not teach the claim limitations pertaining to “the first storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data,” and “data representing the stream of cells is accessed in accordance with the navigation data”. Kikuchi teaches said limitations, as cited below.

19. Regarding claim 39, Kikuchi teaches the first storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data, data representing the

Art Unit: 2431

stream of cells is accessed in accordance with the navigation data (column 1, lines 47-57, “to provide a recording medium on which a data stream contain navigation data capable of special playback, such as fast-forward or rewind playback, is recorded” and column 11, lines 33-59, “A video object (VOB) 83 further comprises one or more such cells 84...A cell 84 is likewise assigned an identification number (C\_IDN#j). By the identification number (C\_IDN#j), the cell 84 is identified.”).

20. The motivation to combine would be “to provide a method and apparatus for recording data, including navigation data for special playback” (*Kikuchi* – column 1, lines 58-61).

21. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of *Kikuchi* with the teachings of *Selinfreund* so that “each data unit being composed of a plurality of data pack trains obtained by compressing playback data containing at least any one of audio data, video data, and sub-picture data into packets and a navigation pack placed at the head of the data pack trains and storing playback information on the data packs and navigation information indicating the relationship with other data units” (*Kikuchi* – column 2, lines 15-25).

22. Regarding claim 40, *Selinfreund* teaches determining all reproduction obstructing cells physically stored before or after a linked content cell and modifying or removing the determined reproduction obstructing cells such that the copy of the storage medium is not obstructed (column 2, lines 64-67, column 3, lines 1 and 2 and column 10, lines 45-65).

Art Unit: 2431

23. Regarding claim 41, Selinfreund discloses a computer readable medium storing a program that when executed on a computer or digital signal processor, causes the computer or the digital signal processor to perform the method steps as defined in claim 30 (Figure 1, column 4, lines 4-16, column 5, lines 4-31, "CD-ROMs, Audio CDs, MO disks, and DVDs", column 6, lines 38-67 and column 7, lines 1-15).

24. Regarding claim 46, Selinfreund discloses further comprising: providing standard type file system structures and file content and non-standard type file system structures and file content used to locate the linked content cells on the storage medium, respectively, wherein said non-standard type file system structures and file content routes a read out device to reproduction obstruction data and cyclic data (column 7, lines 34-62, column 9, lines 2-12 and 41-47, column 10, lines 53-65, column 12, lines 32-45 and column 13, lines 4-9).

25. Regarding claim 47, Selinfreund teaches further comprising: determining of a linking order of the at least one stream of linked content cells and physically storing the at least one stream of linked content cells such that a reproduction of the copy of the first storage medium is not obstructed (column 10, lines 45-65).

26. Regarding claim 48, Selinfreund teaches further comprising: locating a root navigation file only using file system structures and/or file content related to the linked content cells as described in the standard of the first storage medium (column 3, lines 54-60, column 4, lines 14-24 and column 5, lines 26-31).

27. Regarding claim 49, Selinfreund discloses the content cells being linked in accordance with the navigation data, wherein the content cells and *at least one of* said

Art Unit: 2431

navigation data are arranged such that accessing the data on the data carrier in a copy mode, in which the data are to be copied from the storage medium onto a recordable record carrier and the content cells are not accessed in accordance with said navigation data provides disturbed access of reduced quality (column 3, lines 47-51 and 54-58, “Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material”, column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16), whereas accessing the data on the data carrier in a reproduction mode in which the content cells are accessed in accordance with said navigation data provides undisturbed access (column 3, lines 51-54, “instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track”, column 10, lines 45-52 and column 13, lines 11-18, “read data unaffected by the material 21 from track a”).

28. Regarding claim 49, Selinfreund discloses the claimed invention, as cited above. However, Selinfreund does not disclose the claim limitations pertaining to “a non-transitory storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data”. Kikuchi discloses said limitations, as cited below.

29. Regarding claim 49, Kikuchi discloses a non-transitory storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data (column 1, lines 47-

Art Unit: 2431

57, "to provide a recording medium on which a data stream contain navigation data capable of special playback, such as fast-forward or rewind playback, is recorded" and column 11, lines 33-59, "A video object (VOB) 83 further comprises one or more such cells 84...A cell 84 is likewise assigned an identification number (C\_IDN#j). By the identification number (C\_IDN#j), the cell 84 is identified.").

30. The motivation to combine would be "to provide a method and apparatus for recording data, including navigation data for special playback" (*Kikuchi* – column 1, lines 58-61).

31. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Kikuchi with the teachings of Selinfreund so that "each data unit being composed of a plurality of data pack trains obtained by compressing playback data containing at least any one of audio data, video data, and sub-picture data into packets and a navigation pack placed at the head of the data pack trains and storing playback information on the data packs and navigation information indicating the relationship with other data units" (*Kikuchi* – column 2, lines 15-25).

32. Regarding claims 50 and 52, Selinfreund discloses the non-transitory storage medium further comprising: first file system data structures and file content conforming to a storage medium standard and second file system data structures and file content not conforming to the storage medium standard, wherein the second file system data structures and file content route said copy mode to reproduction obstruction data or cyclic data, and wherein said reproduction mode will navigate around said reproduction

Art Unit: 2431

obstruction data *or* cyclic data (column 5, lines 26-31, "output a string of '0's rather than output actual data positioned on the CD below the material", lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

33. Regarding claim 51, Selinfreund teaches linking the content cells in accordance with the navigation data, wherein the content cells and at least one of said navigation data are arranged such that accessing the data on the storage medium in a copy mode, in which the data are to be copied from the storage medium onto a recordable carrier and the content cells are not accessed in accordance with said navigation data, provides disturbed access of reduced quality (column 3, lines 47-51 and 54-58, "Absent these instructions, a light sensitive material will have been activated upon reading the first track and will interfere with the reading of adjacent, or nearby, tracks, for a period of time equal to the time of persistence of the light sensitive material", column 5, lines 26-31, column 9, lines 41-47 and column 14, lines 6-16), whereas accessing the data on the storage medium in a reproduction mode, in which the content cells are accessed in accordance with said navigation data provides undisturbed access (column 3, lines 51-54, "instructions provided to authorized users of a software program may instruct an installation program to read a specific track and then wait a specified time to access an adjacent track", column 10, lines 45-52 and column 13, lines 11-18, "read data unaffected by the material 21 from track a").

34. Selinfreund discloses the claimed invention, as cited above. However, Selinfreund does not disclose the claim limitations pertaining to "a method to provide copy protection of a non-transitory storage medium having stored thereon data

Art Unit: 2431

representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data". Kikuchi discloses said limitations, as cited below.

35. Regarding claim 51, Kikuchi discloses a method to provide copy protection of a non-transitory storage medium having stored thereon data representing a stream of cells, the cells being addressable units of the stream, the stream comprising content cells and navigation data (column 1, lines 47-57, "to provide a recording medium on which a data stream contain navigation data capable of special playback, such as fast-forward or rewind playback, is recorded" and column 11, lines 33-59, "A video object (VOB) 83 further comprises one or more such cells 84...A cell 84 is likewise assigned an identification number (C\_IDN#j). By the identification number (C\_IDN#j), the cell 84 is identified.").

36. The motivation to combine would be "to provide a method and apparatus for recording data, including navigation data for special playback" (*Kikuchi* – column 1, lines 58-61).

37. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Kikuchi with the teachings of Selinfreund so that "each data unit being composed of a plurality of data pack trains obtained by compressing playback data containing at least any one of audio data, video data, and sub-picture data into packets and a navigation pack placed at the head of the data pack trains and storing playback information on the data packs and navigation

Art Unit: 2431

information indicating the relationship with other data units” (*Kikuchi* – column 2, lines 15-25).

38. Regarding claims 53 and 57, Selinfreund discloses the non-transitory storage medium further comprising: a physical storage arrangement of at least one content cell of the at least one stream of linked content cells that is not in conformity with the linking order of the content cells such that said copy mode will access said at least one stream of linked cells in an order as physically stored, and said reproduction mode will access said at least one stream of linked content cells in an order conforming to the linking order of the content cells (column 5, lines 26-31, “output a string of ‘0’s rather than output actual data positioned on the CD below the material”, lines 39-50 and 56-64, column 8, lines 56-67, column 9, lines 1-12 and 41-47 and column 10, lines 15-44).

39. Regarding claims 54 and 58, Selinfreund discloses wherein a number of content cells that is accessed in the copy mode is greater than or equal to a number of content cells that is accessed according to the reproduction mode (column 2, lines 19-23, “while the material is in one state a data bit ‘1’ may be read, but while the material is in another state a data bit of ‘0’ may be read”, column 5, lines 26-31, column 10, lines 33-44 and column 13, lines 4-20).

40. Regarding claims 55 and 59, Selinfreund discloses wherein the navigation data is stored in a route navigation file that is stored on the storage medium (column 3, lines 51-54, “*instructions* provided to authorized users of a software program *may instruct an installation program to read a specific track* and then wait a specified time to access an adjacent track” and column 12, lines 29-36, “Part of an authentication procedure for the



Art Unit: 2431

medium 20 may involve reading a plurality of tracks a-d on the medium 20 that are all associated with a spot of light sensitive material 21. The location of spots of light sensitive material 21 may be determined as described above, e.g., *by searching the medium 20 for regions, by referring to a look up table that corresponds a medium identification number with specific, expected material 21 locations, and so on*").

41. Regarding claims 56 and 60, Selinfreund discloses wherein the navigation data is configured to be used to allow user interaction (column 4, lines 11-14, "instructions may be supplied on the medium itself, by the optical reader *or by the user of the device*" and column 15, lines 28-31, "an authorized user may have full access to the content").

### ***Conclusion***

42. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

43. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2431

44. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

45. The following United States Patents and Patent Application Publications are cited to further show the state of the art with respect to secure data storage and access, such as:

United States Patent No. 6,341,196 to Ando et al., which is cited to show an information recording method and information reproducing method for compressed video information.

United States Patent Application No. US 2004/0003270 to Bourne et al., which is cited to show obtaining a signed rights label (SRL) for digital content and obtaining a digital license corresponding to the content based on the SRL in a digital rights management system.

United States Patent Application Publication No. US 2004/0187161 to Cao, which is cited to show an auxiliary program association table.

United States Patent No. 6,798,976 to Tsumagari et al., which is cited to show a digital video recording/playback system with entry point processing function.

United States Patent No. 7,079,754 to Kikuchi et al., which is cited to show a digital video system.

United States Patent No. 7,058,819 to Okaue which is cited to show a data processing system, data processing method, and program providing medium.

United States Patent No. 6,842,862 to Chow et al., which is cited to show tamper resistant software encoding.

Art Unit: 2431

United States Patent No. 6,118,927 to Kikuchi et al., which is cited to show a method and apparatus for reproducing a data according to navigation data.

46. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEREMIAH AVERY whose telephone number is (571)272-8627. The examiner can normally be reached on Monday thru Friday 8:30am-5pm.

47. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

48. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jeremiah Avery/

Examiner, Art Unit 2431

/NATHAN FLYNN/

Supervisory Patent Examiner, Art Unit 2468